

toxicity and fewer side effects. Therefore, it is useful as an agent for the treatment and prevention of various diseases in mammals (e.g., humans, bovines, horses, dogs, cats, monkeys, mice, rats etc., particularly humans) such as (1) primary carcinoma of malignant tumor (e.g., prostate cancer, breast cancer, uterine cancer, ovarian cancer etc.), and metastatic cancer and recurrent carcinoma thereof, (2) various symptoms associated with these cancers (e.g., pain, cachexia etc.), (3) prostatic hypertrophy, masculinism, hypertrichiasis, male-pattern baldness, male infantile precocity, endometriosis, hysteromyoma, adenomyosis of uterus, mastopathy, polycystic ovary syndrome and the like.

Please substitute the following paragraph for the sixth paragraph on page 25 of the specification.

Page 25, sixth paragraph (AMENDED)

As the therapy to be combined, there are mentioned, for example, operation, thermotherapy, radiation therapy and the like. Together with chemotherapy including administration of the compound (V), for example, a therapeutic method other than chemotherapy, such as an operation inclusive of orchiectomy, thermotherapy, radiation therapy and the like, can be used in combination.

**In the Claims**

Please cancel claims 15 and 16 without prejudice to the filing of future continuing applications.

Please substitute the following claim 35 for the claim 35 now pending in the above-identified application.

13  
Claim 35 (Once Amended) The production method described in claim (1) wherein R is  
a lower alkenyl group, a cycloalkyl group, a phenyl group, a pyridyl group, or a lower alkyl  
group optionally substituted by a halogen atom.